



Pilotage area	Nelson has compulsory pilotage for ships over 40metres LOA. The pilotage area extends in a radius 3nm North from the old (disused) Lighthouse on Nelson's bolder bank. Pilot boarding area is shown on NZ Chart 614 and 6142.
	Charted boarding position – 41° 12′.818 S, 173° 14′.466 E
	Outer boarding position- 41° 11'.316 S, 173° 14'.466 E (not charted at Oct 2023)
Communication	<b>Nelson Harbour Radio</b> is a local port service operating on <b>VHF 12</b> and provides the primary radio link with Port Nelson and Nelson pilots.
	Inbound vessels must contact <b>Nelson Harbour Radio</b> on <b>VHF 12</b> at least <u>one</u> hour before arrival at the pilot station.
	Nelson Harbour Radio provides information on vessel arrivals and departures from the port of Nelson and broadcasts local navigation warnings from the Harbourmaster.
	There is no vessel traffic service (VTS) in Nelson.
Boarding Instructions	Pilot ladder will usually be requested 1.0m above the water line on the lee side, and transfers will usually take place with a water speed of between 6 and 8 knots.
	Port Nelson Ltd requires that all pilot transfer arrangements are compliant with SOLAS Chapter V (Regulation 23), IMO Resolution A.1045(27), and NZ Maritime rules Part 53. Vessels may be refused entry to Port Nelson if pilot transfer arrangements are non-compliant.
Passage Plan	The pilot's passage plan will be provided during the Master Pilot exchange. A copy of the passage plan and waypoints are available on the Port Nelson website. <a href="https://www.portnelson.co.nz/services/shipping-marine/">https://www.portnelson.co.nz/services/shipping-marine/</a>
Draft	A minimum of 10% UKC is required for pilotage operations. Tasman Bay anchorages are between 15m and 30m+. Masters are required to always monitor and maintain dynamic UKC in relation to their vessel.
Safety	Pilot lifejackets are equipped with AIS/DSC MOB alert and a strobe light. These will automatically activate if a pilot falls into the water.
Anchoring	The anchorages within Tasman Bay are outside of pilotage limits and positions are provided by the Nelson Harbourmaster. Vessels anchoring in Tasman Bay must notify Nelson Harbour Radio on VHF C12 on arrival to and departure from the anchorage.  Anchoring in any other location within the Nelson harbour limits requires permission from the Harbourmaster.
	There are four assigned anchorage sites in Nelson Regional Waters: #0: 41°11'.44 S 173°15'.22 E (small ship anchorage) #2: 41°09'.58 S 173°16'.30 E #4: 41°07'.88 S 173°17'.35 E #6: 41°06'.22 S 173°18'.48 E These sites will be designated on charts in due course.
	In the event of congestion then Tasman District Council (TDC) anchorage sites may be allocated with confirmation of TDC Harbourmaster

Port information	Port information including pilot's passage plans and information on weather, berths, depths and tugs is available on the Port Nelson website <a href="https://www.portnelson.co.nz">www.portnelson.co.nz</a>
	https://www.portnelson.co.nz/community/harbour-conditions/
Rules Regulations	Vessel Masters should be aware of the local maritime rules as defined within the following documents.
	Nelson Harbourmaster General Directions and;
	2. Nelson Navigational Safety Bylaw 218 (2019)
	In addition to the links above, PDF versions of these documents can be obtained from the ship's agents.
Hot Work	Refer to section 4.1 of the Nelson City Council Navigation Bylaw 218 (2019).
Engine Immobilisation	No vessel over 500 gross registered tonnes (grt), may immobilise its main engine within the Nelson Regional Waters without the permission of the Harbourmaster.
Diving	No person may undertake diving operations in the vicinity of a port facility, marina or within the Nelson Harbour unless.
	a) Notification of the intention to undertake the diving work has been provided to the port facility operator and/or marina manager, the Harbourmaster and;
	b) The diving work is being undertaken in accordance with a safe diving procedure and; approved by the port facility operator and/or marina manager and the Harbourmaster;
	A copy of the safe diving procedure to be followed has been provided to the port facility operator and/or marina manager and the Harbourmaster.
Lifeboat Lowering	6.15.1 No vessel may lowering lifeboats for drills, training or maintenance unless:
	a) Notification of the intention to undertake the activity has been provided to the port facility operator and the Harbourmaster and;
	b) The Master deems the weather and environmental conditions to be suitable for the activity to take place and;
	Nelson Harbour Radio are advised at the commencement and completion of the operation.
Tendering	For tender operations please make prior contact with Nelson Harbourmaster.
Scrubbers	Any vessel operating in the Nelson Harbour and using an air emission purification system (exhaust scrubber) to comply with MARPOL Annex VI must:
	a) Operate the system in zero discharge mode and retain any effluent onboard and;
	<ul> <li>Ensure all effluent remains onboard until it can be disposed of at an available port facility or discharged outside territorial waters.</li> </ul>
	Any vessel intending to navigate within the Nelson Harbour must change to a low sulphur fuel in order to comply with MARPOL Annex VI must ensure that the changeover happens at least four (4) hours before entry into harbour limits.
	(As per Harbourmaster Direction)
Port and Pilots Contacts	Email: <u>DP@portnelson.co.nz</u> <u>Marine.ops@portnelson.co.nz</u>
Contacto	



## **Pre-Arrival Form**

Name of Master

Date Email Please complete all sections and return to harbourmaster@ncc.govt.nz or your ship's agent.

Ship Name Port of Registry			I ETA BU (S. )				
Port of Registry			ETA Pilot Station	Date	e: Time:		
			Ship Security Level				
IMO Number			Draft (m)	Fwd	= Aft=		
Call Sign			LOA				
MMSI Number			Beam				
Vessel			Gross Tonnage				
Owners/Charterer			Displacement				
Agent			Next Port				
Class Society			Last Port				
P&I Club			Persons On Board				
NAVIGATION EQUIP		es in:				Yes	No
Main Engines			Steering Gear				
Auxiliary Engines			Navigation Equipmer	nt			
Mooring Winches			Thrusters	•			
Anchor Windlass			Electronic Charts				
	ried are chart	 s 614 and 61	42 on-board and up to	date?			
Pilot Ladder: Date of r			Manropes: Date of m		ture.		1
	_						
FUEL/OIL ON-BOARI							
FUEL/OIL ON-BOARI	DFO:		Gas/Oil:		Lube Oil:		
	DFO:	? Yes No		Dil Trans	Lube Oil:  fers? Yes No		
HFO:	DFO:		Expiry C	Dil Trans			
HFO: Valid Pollution Insurar	DFO:	NT CARGO	Expiry C	Dil Trans			
HFO: Valid Pollution Insurar HAZARDOUS NOXIO	DFO:	NT CARGO	Expiry C	Dil Trans			
HFO: Valid Pollution Insurar HAZARDOUS NOXIO	DFO:	NT CARGO	Expiry C	Dil Trans			
HFO: Valid Pollution Insurar HAZARDOUS NOXIO	DFO:  nce Certificate  DUS POLLUTA  Technica	NT CARGO	Expiry C	Dil Trans			
HFO: Valid Pollution Insurar HAZARDOUS NOXIO MDG Class APPROVALS REQUI	DFO:  nce Certificate  DUS POLLUTA  Technica	NT CARGO	Expiry C		efers? Yes No	Underwater	
HFO: Valid Pollution Insurar HAZARDOUS NOXIO MDG Class APPROVALS REQUI	DFO: nce Certificate  PUS POLLUTA  Technica	NT CARGO	Expiry C		efers? Yes No	Underwater	